



# AMCOL Corporation

## Converted 6000B to 6000P System Part Numbers

AMCOL - Converted 6000 to 6000P System Part Numbers, 9/28/22, AA-0014, Approved for Use, Page 1 of 1

This document is meant to serve as an aid in converting from our old 6000 expanded part number (EPN) to our new 6000P part numbering system. For ease of viewing, the systems listed below are organized by number of injectors. If your new 6000P system part number cannot be found, please contact your AMCOL sales representative for further assistance.

### 1 Injector Systems

Old 6000B EPN	New 6000P Part Number	Hose and Low-Level Indicator Addons	Corresponding Spray Assembly Addons
61441B10UB12CM18F	→ 6000P-4-1AA-1-B-00		6000-B-BP-12C-1018RA with 6000-70-212
61441B10UBFH1025F	→ 6000P-4-1AA-1-B-00		6000-B-TBFC-1025WTP
61441B10UBL12P22S(24	→ 6000P-2-1AA-1-B-LPW0		
61441B10UBLB1022F	→ 6000P-4-1AA-1-B-LBW0		
62441B10UBL12C22S(24	→ 6000P-2-1AA-2-B-LCW0		
62441B10UBLH1025WTPS	→ 6000P-1-1AA-2-B-00		6000-B-BLP-1025WTP
62441B6U0000F	→ 6000P-4-1AA-2-B-00		
62541B10UBL12FM22S	→ 6000P-1-1FA-2-B-LFW5		

## 2 Injector Systems

Old 6000B EPN	New 6000P Part Number	Hose and Low-Level Indicator Addons	Corresponding Spray Assembly Addons
6000-5581	→ 6000P-4-2AA-2-B-LPW5		
6000-5630	→ 6000P-2-2AA-2-B-D1	Additional 6 ft. of biaxial hose per injector	
6000-SP-15787	→ 6000P-1-2BC-2-B-C0		
6000-SP-15789	→ 6000P-1-2BC-3-LPW5		
6000-SP-50326	→ 6000P-4-2BC-2-B-D1		
6000-SP-50327	→ 6000P-2-2BC-2-B-D1		
60442B15UB2122S	→ 6000P-1-2AA-0-B-C0	Additional 5 ft. of biaxial hose per injector	
60472B20UB21B10220	→ 6000P-0-2AA-0-B-C0	Additional 10 ft. of biaxial hose per injector	
60472B20UBL12C0220	→ 6000P-0-2AA-0-B-LCW0	Additional 10 ft. of biaxial hose per injector	
61442B10BB2F18S	→ 6000P-1-2AA-1-B-F3		
61442B10UB12CM18F	→ 6000P-4-2AA-1-B-00		6000-B-BP-12C-1018RA with 6000-70-212
61442B10UB21C22T	→ 6000P-5-2AA-1-B-C1		
61442B10UB2F22S(220	→ 6000P-3-2AA-1-B-B3		
61442B10UBF12PC22S	→ 6000P-1-2AA-1-B-00		6000-B-TBFC-12P-1022WT with 6000-MMB-CM
61542B10UB12C22F	→ 6000P-4-2FA-1-B-TCW0		
62442B000000S	→ 6000P-1-2AA-2-0-00		

6244-2B-10-BSA-S	→	6000P-1-2AA-2-B-E1	
62442B10HBL18CCM22S	→	6000P-1-2AA-2-H-00	6000-B-BLP-18CC-1022WT1 with 6000-70-212
62442B10HBLP12CCM22S	→	6000P-2-2AA-2-H-LCW2	
62442B10RBLC22S	→	6000P-1-2AA-2-R-LBW1	
62442B10UB2022S(24v)	→	6000P-2-2AA-2-B-B0	
62442B10UB2022T	→	6000P-5-2AA-2-B-B0	
62442B10UB21022S	→	6000P-1-2AA-2-B-C0	
62442B10UB21022S(24v	→	6000P-2-2AA-2-B-C0	
62442B10UB21B1C18A	→	6000P-5A-2AA-2-B-G1	
62442B10UB21C22S	→	6000P-1-2AA-2-B-C1	
62442B10UB21C22S(24v	→	6000P-2-2AA-2-B-C1	
62442B10UB21C22S220A	→	6000P-3-2AA-2-B-C1	
62442B10UB21F22S(24)	→	6000P-2-2AA-2-B-C4	
62442B10UB22B1022S	→	6000P-1-2AA-2-B-D0	
62442B10UB22CM22S	→	6000P-1-2AA-2-B-D2	
62442B10UB22CM22U	→	6000P-6-2AA-2-B-D2	
62442B10UB2C22S	→	6000P-1-2AA-2-B-B1	
62442B10UBB1022S(24)	→	6000P-2-2AA-2-B-TBW0	
62442B10UBF000S	→	6000P-1-2AA-2-B-00	6000-B-TBFC
62442B10UBL12CCM23S(	→	6000P-2-2AA-2-B-LCF2	
62442B10UBL12CM22F	→	6000P-4-2AA-2-B-LCW5	
62442B10UBL12CM22S(2	→	6000P-2-2AA-2-B-LCW5	

62442B10UBL12PCM22S	→	6000P-1-2AA-2-B-LPW2	
62442B10UBL12PM22S	→	6000P-1-2AA-2-B-LPW5	
62442B10UBL18CCC22S	→	6000P-1-2AA-2-B-00	6000-B-BLP-18CC-1022WT1 with 6000-MMB-CM
62442B10UBLB1022S	→	6000P-1-2AA-2-B-LBW0	
62442B10UBLB1C22S	→	6000P-1-2AA-2-B-LBW1	
62442B10UBS000S	→	6000P-1-2AA-2-B-E1	
62442B10UBS000S24	→	6000P-2-2AA-2-B-E1	
62442B13UBL12C22S(24	→	6000P-2-2AA-2-B-LCW0	Additional 3 ft. of biaxial hose per injector
62442B15UB2022S	→	6000P-1-2AA-2-B-B0	Additional 5 ft. of biaxial hose per injector
62442B15UB21022S(24v	→	6000P-2-2AA-2-B-C0	Additional 5 ft. of biaxial hose per injector
62442B15UBL12C22S(24	→	6000P-2-2AA-2-B-LCW0	Additional 5 ft. of biaxial hose per injector
62442B15UBL12FM22F	→	6000P-4-2AA-2-B-LFW5	Additional 5 ft. of biaxial hose per injector
62442B20UBLB1C22S	→	6000P-1-2AA-2-B-LBW1	Additional 10 ft. of biaxial hose per injector
6254-2B-10-BSA-S	→	6000P-1-2FA-2-B-E0	
62542B10U12C22WTS(24	→	6000P-2-2FA-2-B-TCW0	
62542B10UB2122S	→	6000P-1-2FA-2-B-C0	
62542B10UBL12CM22S	→	6000P-1-2FA-2-B-LCW5	
62542B10UBL12F022T	→	6000P-5-2FA-2-B-LFW0	

62542B15UB22C22S(24	→	6000P-2-2FA-2-B-D1	Additional 5 ft. of biaxial hose per injector
62542B15UB22CM22S(24	→	6000P-2-2FA-2-B-D2	Additional 5 ft. of biaxial hose per injector
63442B0UB22B1C22S(24	→	6000P-2-2AA-3-0-D1	
63442B10UB21C22S(24)	→	6000P-2-2AA-3-B-C1	
63442B15UBL12PC22S(2	→	6000P-2-2AA-3-B-LPW1	Additional 5 ft. of biaxial hose per injector
63542B20UB21C22S(24v	→	6000P-2-2FA-3-B-C1	Additional 10 ft. of biaxial hose per injector
66442B0UBLB1022S24v	→	6000P-2-2AA-5-0-LBW0	Additional Low-Level Indicator for 5 gal. reservoir (LLI-622-5W)
68442B10UB21C22S	→	6000P-1-2AA-4-B-C1	
69442B0UBLB122S(24vD	→	6000P-2-2AA-4-0-LBW0	Additional Low-Level Indicator for 2.5 gal. reservoir (LLI-622-5W)

### 3 Injector Systems

Old 6000B EPN	New 6000P Part Number	Hose and Low-Level Indicator Addons	Corresponding Spray Assembly Addons
6000-SP-50328	→ 6000P-2-3BC-2-B-A1		
60443B10UBL12CM22S	→ 6000P-1-3AA-0-B-LCW5		
60443B15UB322S	→ 6000P-1-3AA-0-B-A0	Additional 5 ft. of biaxial hose per injector	
60543B15UB3B1022S	→ 6000P-1-3FA-0-B-A0	Additional 5 ft. of biaxial hose per injector	
60543B15UB3B1022S(24	→ 6000P-2-3FA-0-B-A0	Additional 5 ft. of biaxial hose per injector	
61443B10UBL15CM23S(2	→ 6000P-2-3AA-1-B-00		6000-B-BLP-15C-1023FW with 6000-70-212
62443B10UB3022S	→ 6000P-1-3AA-2-B-A0		
62443B10UB3022S(24v)	→ 6000P-2-3AA-2-B-A0		
62443B10UB3022T	→ 6000P-5-3AA-2-B-A0		
62443B10UB322S	→ 6000P-1-3AA-2-B-A0		
62443B10UB3C22S	→ 6000P-1-3AA-2-B-A1		
62443B10UB3C22S(220v	→ 6000P-3-3AA-2-B-A1		
62443B10UB3C22S(24v)	→ 6000P-2-3AA-2-B-A1		
62443B10UBL12CC022S	→ 6000P-1-3AA-2-B-LRW0		
62443B10UBL12CM23S	→ 6000P-1-3AA-3-B-LCF5		
62443B12UB3C22F	→ 6000P-4-3AA-2-B-A1	Additional 2 ft. of biaxial hose per injector	

62443B15HB3B1CM22S	→	6000P-1-3AA-2-H-A2	Additional 5 ft. of PTFE (High Temp) hose per injector
62443B15UB12C022S	→	6000P-1-3AA-2-B-TCW0	Additional 5 ft. of biaxial hose per injector
62443B15UB322S24v	→	6000P-2-3AA-2-B-A0	Additional 5 ft. of biaxial hose per injector
62443B15UB3C22S	→	6000P-1-3AA-2-B-A1	Additional 5 ft. of biaxial hose per injector
62443B30UBL12C22S24v	→	6000P-2-3AA-2-B-LCF0	Additional 20 ft. of biaxial hose per injector
62443B30UBL12C23S24v	→	6000P-2-3AA-2-B-LCF0	Additional 20 ft. of biaxial hose per injector
62543B10UB3C22S	→	6000P-1-3FA-2-B-A1	
63443B0UBL12C022WTS	→	6000P-1-3AA-3-0-LCW0	
63443B10UB3B1022S	→	6000P-1-3AA-3-B-A0	
63443B10UB3B1C22S	→	6000P-1-3AA-3-B-A1	
63443B10UB3C22S(24v)	→	6000P-2-3AA-3-B-A1	
63443B15UB3F22S24D	→	6000P-2-3AA-3-B-A3	Additional 5 ft. of biaxial hose per injector
63443B15UB3F22S24D3T	→	6000P-2-3EA-3-B-A3	Additional 5 ft. of biaxial hose per injector
63473B10UB3C22WTS	→	6000P-1-3AA-3-B-A1	
69443B30UB3022S	→	6000P-1-3AA-4-B-A0	Additional 20 ft. of biaxial hose per injector and Low-Level Indicator for 2.5 gal. reservoir (LLI-622-5W)

## 4 Injector Systems

Old 6000B EPN	New 6000P Part Number	Hose and Low-Level Indicator Addons	Corresponding Spray Assembly Addons
6000-SP-11325	→ 6000P-6-4AA-2-B-00	Additional 10 ft. of biaxial hose per injector	6000-B-BLP-1025WTP
62444B10UBL12PM22S	→ 6000P-1-4AA-2-B-LPW5		
62544B10UBF12PC22U	→ 6000P-6-4FA-2-B-00		6000-B-TBFC-12P-1022WT with 6000-MMB-CM
62544B10UBL12C22S(24	→ 6000P-2-4FA-2-B-LCW0		
62544B25UBL12P022S	→ 6000P-1-4FA-2-B-LPW0	Additional 15 ft. of biaxial hose per injector	
62544B25UBL12PM22S	→ 6000P-1-4FA-2-B-LPW5	Additional 15 ft. of biaxial hose per injector	
63444B15HB2C22WTS(22	→ 6000P-3-4AA-3-H-B1	Additional 5 ft. of PTFE (High Temp) hose per injector	
69444B10UBL12CM24S	→ 6000P-1-4AA-4-B-00	Additional Low-Level Indicator for 2.5 gal. reservoir (LLI-622-5W)	6000-B-BLP-12C-1024WW with 6000-70-212



## 5 Injector Systems

Old 6000B EPN	New 6000P Part Number	Hose and Low-Level Indicator Addons	Corresponding Spray Assembly Addons
62445B10UBL12PM222	→ 6000P-1-5AA-2-B-LPW5		



**AMCOL Corporation**

21435 Dequindre, Hazel Park, MI 48030

248-414-5700

fax: 248-414-7489

[www.amcolcorp.com](http://www.amcolcorp.com)